



The miracles of science™

# Fall or spring apply — to get ahead and stay ahead of weed problems

DuPont™  
Canopy® EX  
herbicide

## DuPont™ Canopy® EX herbicide delivers:

- Reliable burndown of winter annual and perennial weeds, even under cool, fall or spring temperature conditions.
- Residual control to keep your fields clean until planting so you can plant soybeans as soon as spring weather/field conditions allow — rather than spraying weeds.
- The ability for soils to warm up faster, which helps you get a jump on spring fieldwork and reduces the potential for soil-borne pathogens.

## Rate recommendation

**In fields with a soil pH of 7.0 or less, higher rates of Canopy® EX are recommended for improved residual control**  
Canopy® EX 1.5-2.2 oz/A  
+ 2,4-D LVE 1.0 pt/A  
+ COC 1% v/v

**For variable pH soils where the pH of a field exceeds 7.0, use 1.1 ounces per acre of Canopy® EX for burndown and limited residual control of labeled weed species**

Canopy® EX 1.1 oz/A  
+ 2,4-D LVE 1.0 pt/A  
+ COC 1% v/v

## Application information

- Applications can be made anytime after harvest before ground freeze-up and up to 7 days prior to planting in the spring.
- Grazing or feeding is allowed on treated acres 14 days after application.



Canopy® EX 2.2 oz/A + 2,4-D LVE + COC applied Nov. 11, 2005. Photo taken April 18, 2006. Predominant weeds controlled were deadnettle, chickweed, shepherd's-purse, purslane speedwell, lambsquarters and giant ragweed.



Canopy® EX at 1.5 oz/ A + 2,4-D LVE + COC applied Nov. 17, 2005. Photo taken April 26, 2006. Predominant weeds controlled were field pennycress, chickweed and dandelion.



The miracles of science™

# DuPont™ Canopy® EX herbicide

## DuPont™ Canopy® EX herbicide will provide burndown control of the following weeds

Bittercress, smallflowered	Pepperweed
Buttercup, smallflower	Pigweed
Butterweed (cressleaf groundsel)	Ragweed: common, giant
Chickweed, common	Rocket, yellow
Dandelion	Shepherd's-purse
Deadnettle: purple, red	Smartweed, annual
Garlic, wild*	Speedwell: field, purslane
Henbit	Sunflower
Lambsquarters*	Tansymustard
Lettuce, prickly	Thistle, Canada (above-ground portion only)
Marestail* (horseweed)	Velvetleaf
Mustard, wild	Wallflower, bushy
Pennycress, field	Whitlowgrass

\* Addition of 8 oz ai/A of 2,4-D LVE is required.

### For more information

Contact your local DuPont retailer or DuPont representative for more information about Canopy® EX herbicide from DuPont. And visit us on the Web at [canopyex.dupont.com](http://canopyex.dupont.com).



Abundit® Extra is not available in all states. Contact your DuPont retailer or representative for availability in your state. This reference guide is not intended as a substitute for the product label for the product(s) referenced herein. Product labels for the above product(s) contain important precautions, directions for use and product warranty and liability limitations that must be read before using the product. Applicators must be in possession of the product label(s) at the time of application. Always read and follow all label directions and precautions for use when using any pesticide alone or in tank mix combinations. The DuPont Oval Logo, DuPont™, The miracles of science™ and Canopy® are trademarks or registered trademarks of DuPont or its affiliates. TruChoice® Opportunity Program is a registered service mark of Pioneer Hi-Bred. Copyright © 2006-2012 E.I. du Pont de Nemours and Company. All Rights Reserved. 8/12 Reorder No.: K-25648 (Replaces K-24496)