

Clethodim 2EC™

Clethodim Herbicide

Clethodim 2EC™ is a post applied herbicide that provides outstanding control of annual and perennial grasses in a wide range of broadleaf crops, vegetables, trees and vine crops.

Labeled Use Sites

- Alfalfa
- Soybeans
- Peanuts
- Cotton
- Sugarbeets
- Other Fruits and Vegetables

Volunteer Corn

- Nothing works better than Clethodim 2EC™ to safely control volunteer Roundup Ready corn in Roundup Ready soybeans
- There are no known corn varieties that are resistant to Clethodim 2EC™
- Volunteer corn is a nuisance weed in soybean fields
- Stop the yield robber in your soybeans with volunteer corn stopper Clethodim 2EC

Key Benefits

- Clethodim 2EC™ offers a wide window for application based on the height and growth stage of the targeted weeds
- Clethodim 2EC™ is rainfast in 1 hour
- Clethodim 2EC™ tank mixes easily with all GlyStar formulas and other glyphosate brands
- Clethodim 2EC™ mixes easily and can be applied with several broadleaf herbicides
- Clethodim 2EC™ can be tank mixed with several insecticides to reduce the trips across the field
- Clethodim 2EC™ can be applied using air or ground equipment



Active Ingredients

Clethodim	26.4%
Other Ingredients	73.6%
Total	100%

**Contains 2.0 pounds of clethodim per gal.
Always read and follow label directions.**

EPA Reg. No. 42750 – 72
AD091508

Clethodim 2EC™ is labeled for use on these crops	Use rate/ Application	PHI
Alfalfa	6-16 oz	15 days
Alfalfa (established)	8-16 oz	15 days
Canola	4-6 oz	70 days
Carrot	6-8 oz	30 days
Celery	6-8 oz	30 days
Clover	6-16 oz	15 days
Conifer Trees	6-16 oz	N/A
Corn Vegetables	6-16 oz	30 days
Cotton	6-16 oz	60 days
Cranberry	6-8 oz	30 days
Cucurbits	6-8 oz	14 days
Dry Beans	6-16 oz	30 days
Fallow	6-16 oz	N/A
Flax	6-8 oz	60 days
Fruiting Vegetables	6-8 oz	20 days
Garden Beets	6-8 oz	30 days
Garlic	6-16 oz	45 days
Head and Stem Brassica	6-8 oz	30 days
Leaf Lettuce	6-8 oz	14 days
Leafy Brassica Greens	6-8 oz	14 days
Mint	6-16 oz	21 days
Mint (established)	8-16 oz	21 days
Mustard Seed	4-6 oz	75 days
Non-Bearing Food Crops	6-8 oz	N/A
Non-Crop Areas	6-16 oz	N/A
Onions	6-8 oz	14 days
Onions (dry bulbs only)	6-16 oz	45 days
Ornamentals	6-16 oz	N/A
Peanuts	6-16 oz	40 days
Potato	6-16 oz	30 days
Radish	6-8 oz	15 days
Rhubarb	6-8 oz	30 days
Root Vegetables	6-8 oz	30 days
Shallots (dry bulbs only)	6-16 oz	45 days
Soybean	6-16 oz	60 days
Spinach	6-8 oz	14 days
Strawberry	6-8 oz	4 days
Sugar Beet	6-16 oz	40 days
Sunflower	6-16 oz	70 days
Sweet Potato	6-16 oz	30 days
Tomato	6-16 oz	20 days
Tuberous Vegetables	6-16 oz	30 days
Yam	6-16 oz	30 days

Rates to control volunteer corn in cotton and soybeans	Use rate/ Application
Up to 12 inches	4-6 oz
12 to 24 inches	6-8oz



Roundup® and Roundup Ready® are trademarks of Monsanto

Clethodim 2EC™ is not registered for use in every state.
Please check with Albaugh Inc. or your local
State Agency for product registration status.
EPA Reg. No. 42750 – 72
AD091508