Headline

Fungicide

Disease Control and Plant Health in Alfalfa

Benefits of Headline® Fungicide

- Outstanding disease control
- Plant Health Benefits including increased leaf retention and quicker green-up after harvest
- Increased yield potential
- Improved forage quality

Alfalfa Disease Control



Percent Leaf Spot

2011 replicated trial. University of Minnesota, Waseca, MN. Average disease ratings for cuttings 1, 2, and 3.

Increased Leaf Retention and Quicker Green-up



2011 On-Farm trial: Markesan, WI. Photos taken 1 day after cutting and 1 hour after harvest.

Headline fungicide increases yield potential in Alfalfa



Technical Information Bulletin






Healthier Canopy with Headline® Fungicide



2011 On-Farm trial: Eleva, WI. Photos were taken prior to cutting 2nd crop.

Healthier Alfalfa with Headline



2012 Commercial Demonstration, Headline 6 fl oz/A-Aerial Photo 21 DAT-Stearns County, MN




Best Use Recommendations

- Use Rate: 6-9 fl oz/A
- PHI: 14 days
- For optimal protection apply Headline to 6–8 inch tall alfalfa, before the highest yielding cuttings, typically the first and second cuttings
- For resistance management, only use
 2 consecutive applications of Headline before alternating to another mode of action
- Maximum Applications Per Season: 3
- Carrier Volume:
 Ground: 15–20 GPA
 Air: 2 or more GPA

Target Diseases

- Anthracnose
- Common leaf spot
- Downy mildew
- Leaf spot
- Powdery mildew
- Rhizoctonia blight
- Rust
- Spring black stem
- Stagnospora leaf spot
- Stemphyllium leaf spot
- Summer black stem
- Yellow leaf blotch

Increased Yield Potential



2011–2012 Average yield increase 129 on-farm trial cuttings in Wisconsin (80), Iowa (18), Michigan (15), Colorado (7), Idaho (3), Kentucky (3), Pennsylvania (2), Oklahoma (1). Headline 6 fl oz/A.



