




START WITH AUTUMN™ SUPER FOR CLEANER FIELDS WITH FEWER RESISTANT WEEDS.

AUTUMN™ SUPER HAS AN ALTERNATIVE MODE OF ACTION TO GLYPHOSATE THAT CAN HELP COMBAT GLYPHOSATE-RESISTANT WEEDS IN CORN AND SOYBEANS.

- Labeled for use prior to planting field corn, sweet corn, popcorn or soybeans.
- Fall or early spring is the best time to control winter annuals, biennials and perennials.
- Autumn Super provides burndown of emerged weeds with residual.
- Larger winter annuals need higher rates of burndown herbicides in spring.
- Clean fields are less likely to attract black cutworm moth, and they won't support nematodes and grubs.
- Weeds keep ground wet under moist conditions.
- Weeds use valuable nutrients to grow.
- A clean seedbed means quicker crop emergence in warmer soils.
- Many popular herbicide programs contain no residual and lack the power to keep winter annuals from emerging.
- Weed seed bank will continue to increase if left unchecked.





APPLICATION: TIMING AND RATES

- Flexibility in application — fall through spring burndown.
- Best weed control will be achieved with a fall application following crop harvest, after weed emergence and prior to ground freeze.
- In early spring, apply at least 60 days prior to planting soybeans, 30 days prior to planting field corn, and 3 months prior to planting wheat (spring and winter).
- Takedown of the toughest fall weeds like dandelion and marestail.
- Flexibility in tankmix partners — 2,4-D, metribuzin, dicamba, glyphosate, etc. Always add a tankmix partner for broader spectrum or additional residual weed control. Increased grass control is especially noted with glyphosate tankmixtures.*
- Low use rate of 0.3 to 0.5 oz/A.
- Adjuvant: Crop Oil Concentrate 1% v/v and a nitrogen fertilizer such as UAN or ammonium sulfate.

WEEDS CONTROLLED

Alfalfa**	Field Pansy	Purple Deadnettle
Annual Blue Grass***	Field Pennycress	Redroot Pigweed
Blue Mustard	Hemp Nettle	Scentless Chamomile
Broadleaf Plantain	Henbit	Shepherdspurse
Burcucumber	Horsenettle	Tansy Mustard
Burdock	Italian Ryegrass***	Turnip Weed
Buttercup	Little Barley***	Volunteer Canola
Canada Thistle***	Marestail (including glyphosate-resistant)	Wild Carrot
Carolina Foxtail***	Mouse-eared Chickweed	Wild Garlic***
Common Chickweed	Pennycress	Wild Mustard
Dandelion	Pokeweed***	Wild Radish
Downy Brome***	Poison Hemlock	

*See label for full listing of tankmix partners and application instructions.

**If actively growing at the time of application.

***Weed suppression

BAYER CROPSCIENCE COMMITMENT

Today and tomorrow, Bayer CropScience focuses on grower needs and innovation to deliver the most complete and effective corn and crop protection portfolio.

IMPORTANT: This bulletin is not intended to provide adequate information for use of these products. Read the label before using these products. Observe all label directions and precautions while using these products.



Bayer CropScience LP, 2 T.W. Alexander Drive, Research Triangle Park, NC 27709. Always read and follow label instructions. Bayer (reg'd), the Bayer Cross (reg'd) and Autumn™ are trademarks of Bayer. Autumn Super is not registered in all states. For additional product information call toll-free 1-866-99-BAYER (1-866-992-2937) or visit our website at www.BayerCropScience.us
CR1013AUTUMSA010V00R0



Bayer CropScience