# **Triumph™ 22K**



## Picloram Herbicide

Triumph™ 22K is designed and labeled specifically for use west of the Mississippi river to control susceptible broadleaf weeds and woody plants.

#### **Labeled Use Sites**

- Rangeland
- Permanent pastures
- Spring wheat, barley, oats
- Fallow cropland
- Conservation Reserve Acres
- Other non cropland

#### **Key Benefits**

- Provides both foliar and soil activity to control many troublesome weeds
- Compatible with most non-pressurized fertilizers
- Can be applied by air with either water or a water emulsion carrier
- Can be applied using ground equipment including sprayers, rollers, and wicks
- Mixes easily with high quality surfactants and most deposition or drift control adjuvants.



### **Active Ingredients:**

Picloram 24.4 %

Other Inert Ingredients <u>75.6%</u>

Total 100 %

Contains 2 pounds of picloram per gallon

#### RESTRICTED USE PESTICIDE

May injure (phytotoxic) susceptible, non-target plants. For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

Triumph<sup>™</sup> 22K is not registered for use in every state. Please check with Albaugh Inc. or your local State Agency for product registration status. **EPA Reg. No. 42750-79** 

| Broadleaf Weeds Controlled by Triumph 22K |                               |                             |
|-------------------------------------------|-------------------------------|-----------------------------|
| Annual broomweed                          | Horsenettle, white            | Ragweed, western            |
| Bitter sneezeweed                         | Horseweed                     | Ragweed, lanceleaf          |
| Bitterweed                                | Ironweed                      | Ragwort, tansey             |
| Buffalobur                                | Knapweed, diffuse             | Russian thistle             |
| Bull thistle                              | Knapweed, Russian             | Skeletonweed, rush          |
| Bullnettle                                | Knapweed, spotted             | Smartweed                   |
| Bur ragweed                               | Knapweed, squarrose           | Snakeweed, broom            |
| Burroweed                                 | Lambsquarters                 | Sowthistle, perennial       |
| Bursage                                   | Larkspur, geyer, plains, tall | St. Johnswort               |
| Camphorweed                               | Leafy spurge                  | Starthistle, Iberian,       |
| Canada thistle                            | Licorice, wild                | Starthistle, purple         |
| Cinquefoil, sulphur                       | Locoweeds                     | Starthistle, yellow         |
| Cocklebur                                 | Lupines                       | Sunflower                   |
| Coneflower, upright prairie               | Marshelder                    | Tasajillo                   |
| Croton                                    | Mayweed                       | Thistles, distaff           |
| Crupina, common                           | Milkweed                      | Thistles, Italian           |
| Curly dock                                | Mustard, wild                 | Thistles, plumeless         |
| Drummond's goldenweed                     | Narrowleaf goldaster          | Thistles, Scotch            |
| Field Bindweed                            | Nightshade, silverleaf        | Thistles, musk              |
| Garbancillo                               | Ox-eye Daisy                  | Toadflax, dalmation, yellow |
| Goldenrod, common                         | Pennycress, field             | Wavyleaf thistle            |
| Gray goldaster                            | Pigweed                       | Wild buckwheat              |
| Groundsel                                 | Prickly lettuce               | Wild carrot                 |
| Henbane, black                            | Pricklypear, plains           | Woolly loco                 |
| Horsenettle, Carolina                     | Pricklypear, lindheimer       | Wooton loco                 |
| Horsenettle, western                      | Ragweed, common               | Yankeeweed                  |
| Woody Plants Controlled by Triumph 22K    |                               |                             |
| Acacia, blackbrush                        | Chaparral                     | Locust                      |
| Absinth wormwood                          | Chinese tallowtree            | Macartney rose              |
| Acacia, catclaw                           | Gorse                         | Mesquite                    |
| Acacia, twisted                           | Granjeno                      | Multiflora rose             |
| Aspen                                     | Guajillo                      | Pine/pinion                 |
| Broom, Scotch                             | Huisache (suppression only)   | Rabbitbrush, Douglas        |
| Camelthorn                                | Junipers/cedars               | Sagebrush, fringed          |

## Always read and follow directions on the label.

**Product Stewardship:** Surface runoff and off target drift of Triumph™ 22K may contaminate surface water and leeching may contaminate groundwater. Since Triumph™ 22K is a restricted use pesticide product stewardship is critical.

For more information on picloram stewardship please go to the Albaugh web site.