

# PROOF APPROVAL FORM

Please check and verify all aspects of this proof  
and technical specifications. With your approval you are  
**ASSUMING RESPONSIBILITY** for the content, design and specification of this label.

☐ APPROVED


☐ REVISIONS REQUIRED

CUSTOMER: CHEMORSE  
DESIGN # 644D-181  
SIZE - 5.75" X 5.75"  
MATERIAL - SEIM-GLOSS / LAMINATION  
COLORS - DIGITAL  
UNWIND POSITION - #4

PLEASE NOTE: Colors shown are only for color  
break and are not intended to be an exact  
representation of color.

If a proof with exact color is required please  
contact your sales representative.

FAX# (515) 280-6881 • PHONE (515) 280-6588



COPY POSITION: 1-4 LABELS WOUND OUT

DATE: 04/17/2013

REVISION#

REVISION DATE:

Signature \_\_\_\_\_

Date \_\_\_\_\_

# VM Trans-Buff™

**Water Conditioner  
PLUS Acidifying Surfactant**

**\*ACTIVE INGREDIENTS**

Glycerol acid complex, aminepolyoxyphosphate,  
alkyl polyoxyethylene glycol blend..... 80%

Inert ingredients..... 20%

TOTAL..... 100%

All ingredients exempt from tolerance under CFR 40 § 180.1001(c).

**KEEP OUT OF REACH OF CHILDREN**

**WARNING/AVISO!**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

**STOP - READ ENTIRE LABEL BEFORE USING  
SHAKE WELL BEFORE USING**

**Net Contents  
2.5 Gallons (9.46L)**

**Distributed by: VM Distribution Newton, MS 39345**

DIE LINE - FPO  
DOES NOT PRINT



# PROOF APPROVAL FORM

Please check and verify all aspects of this proof  
and technical specifications. With your approval you are  
**ASSUMING RESPONSIBILITY** for the content, design and specification of this label.

☐ APPROVED


☐ REVISIONS REQUIRED

CUSTOMER: CHEMORSE  
DESIGN # 644D-182  
SIZE - 5.75" X 5.75"  
MATERIAL - SEIM-GLOSS / LAMINATION  
COLORS - DIGITAL  
UNWIND POSITION - #3

PLEASE NOTE: Colors shown are only for color  
break and are not intended to be an exact  
representation of color.

If a proof with exact color is required please  
contact your sales representative.

FAX# (515) 280-6881 • PHONE (515) 280-6588



COPY POSITION: 1-4 LABELS WOUND OUT

DATE: 04/17/2013

REVISION#

REVISION DATE:

Signature \_\_\_\_\_

Date \_\_\_\_\_

## PRECAUTIONARY STATEMENTS

**CAUTION:** Harmful if swallowed or absorbed through skin. May cause severe eye irritation. Avoid contact with skin, eyes and clothing. Avoid inhalation of spray mist. Wear goggles or face shield and chemical resistant gloves when handling this product. Wash thoroughly with soap and water after handling. Read and follow all precautionary statements and use directions on the accompanying pesticide label(s).

### First Aid

**IF SWALLOWED:** Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

**IF ON SKIN:** Remove contaminated clothing. Wash affected areas with plenty of soap and water. Get medical attention if irritation persists.

**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.

## STORAGE & DISPOSAL

Avoid contamination of water, food, or feed when storing this product, or when disposing of container or rinsate.

**Storage:** Keep this container tightly closed. Store in original container. Do not store in metal containers. Do not allow water or other chemicals to be introduced into contents of container. Do not contaminate water sources with equipment waste water or runoff. Do not store near feed or food products. Do not use or store near open flame.

**Disposal:** Triple rinse container and pour rinsate into spray tank. Do not reuse container. Offer triple-rinsed container for recycling, or puncture & dispose of in a sanitary landfill or by other procedures approved by appropriate authorities.

## GENERAL INFORMATION

VM Trans-Buff™ is a blend of surfactants, acidifiers and buffering agents. It is designed for use with crop protection products that benefit from water conditioning, sequestering, buffering or acidification. VM Trans-Buff™ also contains surfactants and translocating agents to improve spreading and activation of pesticides. The performance of sprays containing VM Trans-Buff™ may be affected by weather and the operation of spray equipment. Make sure spray equipment is clean and properly calibrated before using this product. When used according to the Directions for Use, VM Trans-Buff™ is compatible with most pesticides and authorities.

## DIRECTIONS FOR USE

**CAUTION:** Read and follow all pesticide label directions. Do not use VM Trans-Buff™ with sulfonylurea herbicides or other products that may be negatively affected by low pH. If the pesticide label specifically prohibits the use of adjuvants, do not use this product. The use of an adjuvant may cause phytotoxicity to certain sensitive crops when plants are stressed, or during periods of high temperature or humidity. The applicator must have previous experience with the adjuvant/pesticide spray mixture or should apply a small test area before making large scale applications.

### For General Use as a surfactant and water conditioner

1-4 quarts per 100 gallons of water

Use lower rates (1-2qts/100) for small weeds. Higher rates (3-4qts/100) are required for large or tough weeds.

### For use with "Low", "Partial" or "Unloaded" Glyphosate

2-4 quarts per 100 gallons of water; 3-4 quarts per 100 when weeds are large.

### For use with "Fully Loaded" glyphosate

1-2 quarts per 100 gallons of water; 2qts / 100 is recommended when weeds are large.

### For pH reduction and acidification only

6-16 fl oz per 100 gallons of water. This rate will NOT provide surfactant or translocation properties

## NOTICE

SELLER WARRANTS THAT THE PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL AND IS REASONABLY FIT FOR THE PURPOSE STATED ON THE LABEL WHEN USED IN ACCORDANCE WITH THE DIRECTIONS FOR USE UNDER NORMAL USE CONDITIONS. NEITHER THIS WARRANTY NOR ANY OTHER WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EXPRESS OR IMPLIED, EXTENDS TO THE USE OF THIS PRODUCT CONTRARY TO LABEL DIRECTIONS, OR UNDER ABNORMAL CONDITIONS, OR UNDER CONDITIONS NOT FORSEEABLE TO SELLER, BUYER ASSUMES RISK UNDER ANY SUCH USE. INSUFFICIENT CONTROL OF PESTS AND/OR CROP INJURY MAY RESULT FROM UNUSUAL ENVIRONMENTAL CONDITIONS, FAILURE TO FOLLOW PESTICIDE LABEL DIRECTIONS OR POOR APPLICATION PRACTICES, ALL OF WHICH ARE BEYOND THE CONTROL OF SELLER.

Distributed by: VM Distribution Newton, MS 39345

DIE LINE - FPO  
DOES NOT PRINT





# VM Trans-Buff™

## Water Conditioner

### PLUS Acidifying Surfactant

#### \*ACTIVE INGREDIENTS

Glycerol acid complex, aminopolyoxyphosphate,  
alkyl polyoxyethylene glycol blend..... 80%

Inert ingredients..... 20%

TOTAL..... 100%

All ingredients exempt from tolerance under CFR 40 § 180.1001(c).

**KEEP OUT OF REACH OF CHILDREN**

**WARNING/AVISO!**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

**STOP - READ ENTIRE LABEL BEFORE USING  
SHAKE WELL BEFORE USING**

**Net Contents  
2 x 2.5 Gallons**

**Distributed by: VM Distribution Newton, MS 39345**


#### PROOF APPROVAL FORM

Please check and verify all aspects of this proof and technical specifications. With your approval you are **ASSUMING RESPONSIBILITY** for the content, design and specification of this label.

☐ APPROVED

☐ REVISIONS REQUIRED

CUSTOMER: CHEMORSE  
DESIGN # 644D-184  
SIZE -7.667" x 8.625"  
MATERIAL - SEIM-GLOSS / LAMINATION  
COLORS - DIGITAL  
UNWIND POSITION - #3



DATE:04/17/2013  
REVISION#  
REVISION DATE:

**DIE LINE - FPO  
DOES NOT PRINT**

PLEASE NOTE: Colors shown are only for color break and are not intended to be an exact representation of color.

If a proof with exact color is required please contact your sales representative.

FAX# (515) 280-6881 • PHONE (515) 280-6588

Signature \_\_\_\_\_

Date \_\_\_\_\_

